

A Schlumberger Company

Safety Data Sheet OPTISEAL^{*} III

1. Identification of the substance/preparation and of the Company/undertaking

1.1 Product identifier

Product name	OPTISEAL [*] III
Product code	PID15953

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use Lost circulation material.

Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier M-I Drilling Fluids UK Limited C/O Schlumberger Enterprise Drive Westhill Industrial Estate Westhill, AB32 6TQ Scotland UK +47 51577424

MISDS@slb.com <u>1.4 Emergency Telephone Number</u>

Emergency telephone - (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

2. Hazards identification

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008		
Health hazards	Not classified	
Environmental hazards	Not classified	
Physical Hazards	Not classified	

2.2 Label Elements

Signal word

Hazard statements

This product is not classified as hazardous therefore no (H) hazard statements assigned.



> Safety data sheet number PID15953 Revision date 09/May/2016

Precautionary Statements - EU (§28, 1272/2008)

This product is not classified as hazardous therefore has no (P) precautionary statements assigned.

Contains Calcium carbonate

Cellulose fibre

Graphite (Natural)

Crystalline silica (impurity)

2.3 Other data

Not classified as PBT/vPvB by current EU criteria

3. Composition/information on ingredients

3.1 Substances

Not Applicable

3.2 Mixtures

Component	EC-No.	CAS-No	Weight % - range	Classification (67/548)	Classification (Reg. 1272/2008)	REACH registration number
Calcium carbonate	207-439-9	471-34-1	30-60	-	Not classified	Exempt
Cellulose fibre	Not Listed	Proprietary	10-30	-	Not classified	Exempt
Graphite (Natural)	231-955-3	7782-42-5	1-5	Not classified	Not Classified	Exempt
Crystalline silica (impurity)	238-878-4	14808-60-7	<1	Xn; R48/20	STOT Rep. 2 - H373	Exempt

Comments

This product contains a small quantity of quartz, crystalline silica. Prolonged and repeated exposure to concentrations of crystalline silica exceeding the workplace exposure limit (WEL) may lead to chronic lung disease such as silicosis. IARC Monographs, Vol. 68, 1997, concludes that there is sufficient evidence that inhaled crystalline silica in the form of quartz or cristobalite from occupational sources causes cancer in humans. IARC Classification Group I.

The product contains other ingredients which do not contribute to the overall classification.

4. First aid measures



OPTISEAL^{*} III

Safety data sheet number PID15953 Revision date 09/May/2016

4.1 First Aid		
Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.	
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.	
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if irritation persists.	
Eye contact	Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses. Get medical attention if any discomfort continues.	
4.2 Most important symptoms a	nd effects, both acute and delayed	
General advice	The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.	
Main symptoms		
Inhalation	Please see Section 11. Toxicological Information for further information.	
Ingestion	Please see Section 11. Toxicological Information for further information.	
Skin contact	Please see Section 11. Toxicological Information for further information.	
Eye contact	Please see Section 11. Toxicological Information for further information.	
4.3 Indication of any immediate medical attention and special treatment needed		

Notes to physician

Treat symptomatically.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Use extinguishing media appropriate for surrounding material.

Extinguishing media which shall not be used for safety reasons None known.

5.2 Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

Dust may form explosive mixture in air.

Hazardous combustion products

Thermal decomposition can lead to release of irritating gases and vapours.

5.3 Advice for firefighters

Special protective equipment for fire-fighters



As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. See also section 8. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

Methods for Containment

Cover powder spill with plastic sheet or tarp to minimize spreading. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid dust formation.

Hygiene measures

Use good work and personal hygiene practices to avoid exposure When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions	Ensure adequate ventilation. Keep airborne concentrations below exposure limits.
Storage precautions	Keep containers tightly closed in a dry, cool and well-ventilated place. Avoid heat, flames and other sources of ignition. Protect from moisture Avoid contact with: Strong oxidising agents
Storage class	Chemical storage.
Packaging material	Use specially constructed containers only
7.3 Specific end uses	



Safety data sheet number PID15953 Revision date 09/May/2016

See Section 1.2.

8. Exposure controls/personal protection

8.1 Control parameters

Component	EU OEL - Third List	Austria	Australia	Denmark
Calcium carbonate	Not determined	Not determined	10mg/m ³ TWAinhalable dust	Not determined
Cellulose fibre	Not determined	Not determined	10mg/m ³ TWAinhalable dust	Not determined
Graphite (Natural)	Not determined	10 mg/m ³ STEL alveolar dust with <1% quartz, respirable fraction 5 mg/m ³ TWA alveolar dust with <1% Quartz, respirable fraction	3mg/m³TWArespirable dust	2.5 mg/m³ TWA
Crystalline silica (impurity)	Not determined	0.15 mg/m ³ TWA alveolar dust, respirable fraction	0.1mg/m³TWArespirable dust	0.1mg/m ³

Component	Malaysia	France	Germany	Hungary
Calcium carbonate	Not determined	10 mg/m ³ TWA	Not determined	Not determined
Cellulose fibre	10 mg/m ³ TWA	10 mg/m ³ TWA	Not determined	Not determined
Graphite (Natural)	2 mg/m³ TWA	2 mg/m³TWA	1.5 mg/m³ TWA 4 mg/m³ TWA	Not determined
Crystalline silica (impurity)	0.1 mg/m ³ TWA	0.1 mg/m ³ TWA	Not determined	0.15mg/m ³ TWA

Component	New Zealand	Italy	Netherlands	Norway
Calcium carbonate	Not Determined	Not determined	Not determined	Not determined
Cellulose fibre	10 mg/m ³ TWA	Not determined	Not determined	Not determined
Graphite (Natural)	3 mg/m³ TWA	Not determined	Not determined	5 mg/m ³ TWA total dust 2 mg/m ³ TWA respirable dust 10 mg/m ³ TWA total dust 4 mg/m ³ TWA respirable dust 5 mg/m ³ STEL total dust 2 mg/m ³ STEL respirable dust 10 mg/m ³ STEL dust 4 mg/m ³ STEL respirable dust
Crystalline silica (impurity)	0.2 mg/m ³ TWA Known or presumed	Not determined	0.075 mg/m³	0.3 mg/m ³ TWA total dust



Safety data sheet number PID15953 Revision date 09/May/2016

human carcinogen	0.1 mg/m³ TWA
	respirable dust
	0.3 mg/m ³ STEL total
	dust
	0.1 mg/m ³ STEL
	respirable dust
	Carcinogen

Component	Poland	Portugal	Romania	Russia
Calcium carbonate	10 mg/m ³ TWA <2% free crystalline silica total inhalable dust	10 mg/m ³ TWA particulate matter containing no Asbestos and < 1% Crystalline	Not determined	Not determined
Cellulose fibre	Not determined	silica 10 mg/m³ TWA	10mg/m ³ TWAinhalable fraction, dust	10 mg/m ³ MAC
Graphite (Natural)	4.0 mg/m ³ TWA NDS natural 1.0 mg/m ³ TWA NDS natural 6.0 mg/m ³ TWA NDS synthetic	2 mg/m ³ TWA all forms except Graphite fibers respirable fraction	2mg/m ³ TWArespirable fraction, dust	Not determined
Crystalline silica (impurity)	2 mg/m ³ TWA NDS >50% free crystalline silica 0.3 mg/m ³ TWA NDS >50% free crystalline silica 4.0 mg/m ³ TWA NDS 2% to 50% free crystalline silica 1.0 mg/m ³ TWA NDS 2% to 50% free crystalline silica	respirable fraction	0.1mg/m³TWArespirable fraction, dust	3 mg/m ³ STEL disintegration aerosol 3 mg/m ³ STEL aerosol 1 mg/m ³ TWA disintegration aerosol 1 mg/m ³ TWA aerosol Fibrogenic substance and with its content in dust 2-10% and 10-70% Amorphous and vitreous silicon dioxide; Crystalline silicon dioxide

Component	Spain	Switzerland	Turkey	UK
Calcium carbonate	10 mg/m ³ VLA-ED	Not determined	Not determined	Not determined
Cellulose fibre	10 mg/m³ VLA-ED	3 mg/m³ MAK respirable	Not determined	20 mg/m ³ STEL inhalable dust 12 mg/m ³ STEL calculated respirable dust 10 mg/m ³ TWA inhalable dust 4 mg/m ³ TWA respirable dust
Graphite (Natural)	2 mg/m³ TWA VLA-ED	2.5 mg/m ³ TWA MAK natural 5 mg/m ³ TWA MAK natural	Not determined	30 mg/m ³ STEL calculated inhalable dust 12 mg/m ³ STEL calculated respirable dust 10 mg/m ³ TWA inhalable dust 4 mg/m ³ TWA respirable dust
Crystalline silica (impurity)	0.05 mg/m³ TWA VLA-ED	0.15 mg/m³ TWA MAK	Not determined	0.3 mg/m ³ STEL calculated respirable 0.1 mg/m ³ TWA respirable



> Safety data sheet number PID15953 Revision date 09/May/2016

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering measures to

reduce exposure

Ensure adequate ventilation. Mechanical ventilation or local exhaust ventilation is required.

Personal protective equipment	
Eye protection	Safety glasses with side-shields. Tightly fitting safety goggles.
Hand protection	Repeated or prolonged contact:, Use protective gloves made of:, Nitrile, Neoprene, Frequent change is advisable.
Respiratory protection	No personal respiratory protective equipment normally required, In case of insufficient ventilation wear suitable respiratory equipment, Suitable mask with particle filter P3 (European Norm 143), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.
Skin and body protection	Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.
Hygiene measures	Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Odour Colour Odor threshold Solid Powder Mild Grey - Brown Not applicable

Property pH pH @ dilution <u>Values</u> No information available <u>Remarks</u>



A Schlumberger Company OPTISEAL* III

Safety data sheet number PID15953 Revision date 09/May/2016

No information available Melting/freezing point Boiling point/range No information available Flash Point No information available No information available **Evaporation rate** Flammability (solid, gas) Not Applicable Flammability Limits in Air Upper flammability Limit Not applicable Lower flammability limit Vapor pressure Vapor density Specific gravity Bulk density **Relative density** 2.1 - 2.3 sg Water solubility Solubility in other solvents Autoignition temperature Decomposition temperature Kinematic viscosity Viscosity, dynamic Log Pow Not determined **Explosive properties Oxidizing properties**

9.2 Other information Pour point Molecular weight VOC content(%) Density VALUE Particle Size (Micron)

Not applicable No information available No information available No information available No information available Insoluble in water No information available No information available No information available No information available No information available

> Not Applicable None known.

No information available No information available None No information available 500-600µm

@ 20 °C.

10. Stability and reactivity

10.1 Reactivity

Dust may form explosive mixture in air.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerization

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Avoid heat, flames and other sources of ignition. Protect from moisture.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products



Safety data sheet number PID15953 Revision date 09/May/2016

See Section 5.2.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity	
Product information	This product contains a small quantity of quartz, crystalline silica. Prolonged and repeated exposure to concentrations of crystalline silica exceeding the workplace exposure limit (WEL) may lead to chronic lung disease such as silicosis.
Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	Dust may cause mechanical irritation.
Skin contact	Prolonged contact may cause redness and irritation.
Ingestion	Ingestion may cause stomach discomfort.
Unknown acute toxicity	Not Applicable.

Component		LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium carbonate		= 6450 mg/kg (Rat)	No data available	No data available
Cellulose fibre		> 5 g/kg (Rat)	> 2 g/kg (Rabbit)	> 5800 mg/m ³ (Rat) 4 h
Graphite (Natural)		No data available	No data available	No data available
Crystalline silica (impurity)		= 500 mg/kg (Rat)	No data available	No data available
Sensitisation		roduct does not contain any c		
Mutagenic effects	This product does not contain any known or suspected mutagens.			
Carcinogenicity		Iline silica dust is listed by IA is, if inhaled.	RC in Group 1 as known to	cause lung cancer in
Reproductive toxicity	This p	roduct does not contain any k	nown or suspected reprodu	ctive hazards.
Routes of exposure	Inhalation.			
Routes of entry	Inhalation.			
Specific target organ toxicity (single Not classified exposure) Specific target organ toxicity Not classified. (repeated exposure)				



OPTISEAL^{*} III

Safety data sheet number PID15953 Revision date 09/May/2016

Aspiration hazard

Not Applicable.

12. Ecological information

12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Toxicity to algae

This product is not considered toxic to algae.

Toxicity to fish

This product is not considered toxic to fish.

Toxicity to daphnia and other aquatic invertebrates

This product is not considered toxic to invertebrates.

Component	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Calcium carbonate	No information available	No information available	No information available
Cellulose fibre	No information available	No information available	No information available
Graphite (Natural)	No information available	No information available	No information available
Crystalline silica (impurity)	No information available	No information available	No information available

12.2 Persistence and degradability

No product level data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

Mobility Insoluble in water.

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.



OPTISEAL* III

Safety data sheet number PID15953 Revision date 09/May/2016

12.6 Other adverse effects.

None known.

13. Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be transported/delivered using a registered waste carrier for local recycling or waste disposal.
EWC waste disposal No.	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions: EWC waste disposal No: 07 01 99.

14. Transport information

14.1 UN number

Not regulated

14.2 Proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

<u>14.3. Hazard class(es)</u> ADR/RID/ADN/ADG Hazard class IMDG Hazard class ICAO Hazard class/division	Not regulated Not regulated Not regulated
14.4 Packing group ADR/RID/ADN/ADG Packing Group IMDG Packing group	Not regulated Not regulated

IMDG Packing group	Not regulated
ICAO Packing group	Not regulated

14.5 Environmental hazard No

14.6 Special precautions Not Applicable

<u>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</u> Please contact MISDS@slb.com for info regarding transport in Bulk.



OPTISEAL^{*} III

Safety data sheet number PID15953 Revision date 09/May/2016

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture_

Germany, Water Endangering Water endangering class = nwg Classes (VwVwS)

Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

International inventories

USA, Toxic Substances Control Act inventory (TSCA) European Union - EINECS and ELINCS Canada, Domestic Substance List (DSL) Philippines (PICCS) Inventory - Japan - Existing and New Chemicals list China (IECSC) Australia (AICS) Korea (KECL) Inventory - New Zealand - Inventory of Chemicals (NZIoC) Complies Complies Does not Comply Does not Comply Complies Complies Complies Complies

Contact REACH@miswaco.slb.com for REACH information.

15.2 Chemical Safety Report

No information available

16. Other information		
Prepared by	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse	
Supercedes date	24/Aug/2011	
Revision date	09/May/2016	
Version	2	
The following sections have been revised:	This SDS have been made in a new database and therefore a new layout. No changes with regard to classification have been made, Updated according to GHS/CLP.	

Text of R phrases mentioned in Section 3



Safety data sheet number PID15953 Revision date 09/May/2016

R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation

Full text of H-Statements referred to under sections 2 and 3

This product is not classified as hazardous therefore no (H) hazard statements assigned.

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

*A mark of M-I L.L.C., a Schlumberger Company

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.