

SDS no. PID686
Version 2
Revision date 03/Sep/2019
Supersedes date None



Safety Data Sheet G-SEAL*

1. Identification

1.1 Product identifier

Product name G-SEAL*
Product code PID686

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Fluid loss reducer.
Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier
M-I SWACO, A Schlumberger Company
200 - 125, 9th Avenue SE
Calgary, Alberta T2G 0P6, Canada
Telephone: 1-780-962-8221

M-I L.L.C.
P.O.Box 42842
Houston, TX 77242
www.miswaco.slb.com
Telephone: 1 281-561-1511

E-mail address sdsmi@slb.com

Prepared by
Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Bethicia Prasek

1.4 Emergency Telephone Number

Emergency telephone (24 Hour) Asia Pacific +65 3158 1074, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, USA +1 281 561 1600, Canada +1 800 579 7421, Argentina: +54 11 5984 3690, Brazil : 0800-720-8000/0800-777-2323 (WGRA)

2. Hazards Identification

2.1 Classification of the substance or mixture

GHS - Classification

Health hazards Not classified

Environmental hazards Not classified

Physical Hazards

Combustible dust

2.2 Label elements

Signal word

WARNING

Hazard Statements

H232 - May form combustible dust concentrations in air

Precautionary Statements

P240 - Ground/bond container and receiving equipment
P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment
P243 - Take precautionary measures against static discharge

Unknown acute toxicity Not applicable.

3. Composition/information on Ingredients

3.1 Substances

Chemical Name	CAS No	Weight-%
Graphite	7782-42-5	60-100

3.2 Mixtures

Not applicable

Comments

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First Aid Measures

4.1 First aid measures

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

Ingestion Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

Skin contact Wash skin thoroughly with soap and water. Get medical attention if irritation persists.

Eye Contact Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if worn. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General advice The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to

hospital as soon as possible.

Symptoms

Inhalation

Please see Section 11. Toxicological Information for further information.

Ingestion

Please see Section 11. Toxicological Information for further information.

Skin contact

Please see Section 11. Toxicological Information for further information.

Eye contact

Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician

Treat symptomatically

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Water Fog, Alcohol Foam, CO₂, Dry Chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

Suspended dust may present a dust explosion hazard.

Hazardous combustion products

Carbon oxides (CO_x).

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment identified in Section 8. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Evacuate and ventilate the area. Prevent further leakage or spillage if safe to do so.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. Take precautionary measures against static discharges. Avoid dust formation. Powdered material may form explosive dust-air mixtures. Use non-sparking tools and equipment.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid dust formation. Fine dust dispersed in air may ignite. Avoid breathing dust; if exposed to high dust concentration, leave area immediately. Take precautionary measures against static discharges.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions Ensure adequate ventilation. Provide appropriate exhaust ventilation at places where dust is formed. Keep airborne concentrations below exposure limits.

Storage precautions Keep away from open flames, hot surfaces and sources of ignition. Keep containers tightly closed in a dry, cool and well-ventilated place. Follow safe warehousing practices regarding palletizing, banding, shrink-wrapping and/or stacking.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure limits Control as an ACGIH particulate not otherwise specified (PNOS): 10 mg/m³ (Inhalable); 3 mg/m³ (Respirable) and an OSHA particulate not otherwise regulated (PNOR): 15 mg/m³ (Total); 5 mg/m³ (Respirable).

Chemical Name	ACGIH TLV	OSHA PEL	Argentina - Occupational Exposure Limits - TWAs (CMPs)	Brazil - Occupational Exposure Limits - TWAs (LTs)	Mexico - Occupational Exposure Limits - TWAs (LMPE-PPTs)
Graphite	2 mg/m ³	15 mg/m ³ TWA 5 mg/m ³ TWA 15 mppcf	2 mg/m ³ TWA	Not determined	2 mg/m ³ TWA VLE-PPT (except graphite fibers, respirable fraction); 10 mg/m ³ TWA VLE-PPT (synthetic)

Graphite
OSHA - Final PELs - Table Z-3 Mineral Dusts
15 mppcf TWA (natural)

IDLH (Immediately Dangerous to Life or Health)

Immediately Dangerous to Life or Health (IDLH) is established by the US National Institute for Occupational Safety and Health (NIOSH). The purpose of establishing an IDLH value is to ensure that the worker can escape from a given contaminated environment in the event of failure of the most protective respiratory protection equipment. In the event of failure of respiratory protection equipment every effort should be made to exit immediately.

Chemical Name	IDLH (Immediately Dangerous to Life or Health)
Graphite 7782-42-5	1250 mg/m ³ IDLH (listed under Graphite (natural))

8.2 Exposure controls

A risk assessment is recommended to be performed by a qualified and trained personnel to analyze the worksite and recommends the appropriate controls such as engineering controls, work practice controls, and administrative controls as primary means of reducing employee exposure. When there is a remaining hazards after applying the primary controls, Personal Protective Equipment (PPE) must be used.

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls

Ensure adequate ventilation.

Personal protective equipment

Eye protection

Tightly fitting safety goggles.

Hand protection

Wear chemical resistant gloves such as nitrile or neoprene.

Respiratory Protection

All respiratory protection equipment should be used within a comprehensive respiratory protection program that meets the requirements of 29 CFR 1910.134 (U.S. OSHA Respiratory Protection Standard) or local equivalent. If exposed to airborne mist/aerosol of this product, use an organic vapor cartridge with a P-95 pre-filter attached. In work environments containing oil mist/aerosol, use an organic vapor cartridge with a P-95 pre-filter attached. If exposed to vapors from this product, use a NIOSH/MSHA-approved respirator with an organic vapor cartridge.

Skin and body protection

Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

Hygiene Measures

Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	Solid
Appearance	Powder Dust
Color	Gray - Black
Odor	Odorless
Odor threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH		
pH @ dilution		
Melting point	3652 °C / 6605.6 °F	
Boiling point	4827 °C / 8720.6 °F	
Flash point	No information available	PMCC
Evaporation rate (BuAc =1)	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	No information available	
Lower flammability limit	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific gravity	2.19 - 2.26	20 °C
Bulk density	No information available	
Water solubility	Insoluble in water	
Solubility in other solvents	No information available	

Autoignition temperature	> 500 °C / 932 °F
Decomposition temperature	> 400 °C / 752°F
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Partition Coefficient (n-octanol/water)	No information available

Explosive properties	Suspended dust may present a dust explosion hazard
Oxidizing properties	None known.

9.2 Other information

Pour point	No information available
Molecular weight	No information available
VOC content(%)	None
Density	No information available

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and Reactivity

10.1 Reactivity

Dust may form explosive mixture in air.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerization

Hazardous polymerization does not occur.

10.4 Conditions to avoid

Take precautionary measures against static charges. Keep away from open flames, hot surfaces and sources of ignition. Avoid dust formation. Protect from moisture.

10.5 Incompatible materials

Oxidizing agents.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	Dust may cause mechanical irritation.
Skin contact	Prolonged contact may cause redness and irritation.
Ingestion	Ingestion may cause stomach discomfort.

Toxicology data for the components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Graphite	> 2000 mg/kg Rat OECD 423	No data available	> 2000 mg/m ³ Rat OECD 403

Chemical Name	IARC Group 1 or 2	ACGIH - Carcinogens	OSHA listed carcinogens	NTP
Graphite	No data available	No data available	No data available	No data available

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization	This product does not contain any components suspected to be sensitizing.
Mutagenic effects	This product does not contain any known or suspected mutagens.
Carcinogenicity	This product does not contain any known or suspected carcinogens.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
Developmental toxicity	Not known to cause birth defects or have a deleterious effect on a developing fetus.
Routes of Exposure	Inhalation.
Routes of entry	Inhalation.
Specific target organ toxicity - Single exposure	Not classified
Specific target organ toxicity - Repeated exposure	Not classified.
Aspiration hazard	Not applicable.

12. Ecological Information

12.1 Toxicity

Toxicity to algae

This product is not considered toxic to algae.

Toxicity to fish

This product is not considered toxic to fish.

Toxicity to daphnia and other aquatic invertebrates

This product is not considered toxic to invertebrates.

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Graphite	LC50 > 100 mg/l, 96h OECD 203	EC50 > 100 mg/l 72h OECD 201	EC50 > 100 mg/l 48h202

12.2 Persistence and degradability

No product level data available.

12.3 Bioaccumulative potential

Does not bioaccumulate.

12.4 Mobility

Insoluble in water.

12.5 Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)
This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

12.6 Other adverse effects.

None known.

13. Disposal Considerations

13.1 Waste treatment methods

Disposal Method Disposal should be made in accordance with federal, state and local regulations.
Contaminated packaging Empty containers should be taken for local recycling, recovery or waste disposal.

14. Transport information

14.1. UN number

UN No. (DOT)	Not regulated
UN No. (MT/ANTT)	Not regulated
UN No. (TDG)	Not regulated
UN/ID No. (ADR/RID/ADN/ADG)	Not regulated
UN No. (IMDG/ANTAQ)	Not regulated
UN No. (ICAO/ANAC)	Not regulated
UN No. (DPC)	Not regulated

14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

14.3 Hazard class(es)

DOT Hazard class	Not regulated
ANTT Hazard class	Not regulated
TDG Hazard class	Not regulated
ADR/RID/ADN/ADG Hazard class	Not regulated
IMDG/ANTAQ Hazard class	Not regulated
ICAO/ANAC Hazard class/division	Not regulated
DPC Hazard class	Not regulated

14.4 Packing group

DOT Packing group	Not regulated
ANTT Packing group	Not regulated
TDG Packing group	Not regulated
ADR/RID/ADN/ADG Packing group	Not regulated
IMDG/ANTAQ Packing group	Not regulated
ICAO/ANAC Packing group	Not regulated
DPC Packing group	Not regulated

14.5 Environmental hazard

No

14.6 Special precautions

Not applicable

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.

15. Regulatory Information

International inventories

USA (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Japan (ENCS)	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korean (KECL)	Complies
New Zealand (NZIoC)	Complies

Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

U.S. Federal and State Regulations

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

Chemical Name	SARA 302 / TPQs	SARA 313	CERCLA RQ
Graphite	N/A	N/A	N/A

California Proposition 65

This product does not contain chemical[s] which is [are] known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Canadian Classification

This Safety Data Sheet has been prepared in compliance with the Hazardous Products Regulations.

16. Other Information

Revision date 03/Sep/2019

Version 2

HMIS classification

Health	1
Flammability	1
Physical hazard	0
PPE	E

N/A - Not Applicable, N/D - Not Determined.

*A mark of M-I L.L.C., a Schlumberger Company

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.